

# Material Safety Data Sheet

Page 1 of 3

Infosafe No. 4AD2Y Issue Date: September 2000  
Product Name: ELECTRO 3

ISSUED by WHISTLE

Not Classified as Hazardous according to criteria of NOHSC

## COMPANY DETAILS

Company Name A Whistle & Co Pty Ltd  
Address 2/16 Mitchell Road Cardiff NSW 2285  
Emergency Tel. (02) 4956 5600  
Tel/Fax Ph: (02) 4956 5600 Fax: (02) 49564 0890

## IDENTIFICATION

Product Name ELECTRO 1  
Proper Shipping Name None Allocated  
UN Number None Allocated  
DG Class None Allocated  
Packing Group None Allocated  
Hazchem Code None Allocated  
Poisons Schedule Not Scheduled  
Product Use Carpet cleaner.

## Physical Data

Appearance Milky white liquid with a lemon odour.  
Melting Point Not available  
Boiling Point 100°C  
Vapour Pressure Not available  
Specific Gravity Approx 1 (water=1)  
Flash Point Not applicable  
Flamm. Limit LEL Not applicable  
Flamm. Limit UEL Not applicable  
Solubility in Water Soluble

## Other Properties

Corrosiveness Not corrosive to aluminium.  
pH Value 10 (Neat)  
Form Liquid  
Stability Stable under normal conditions.  
Haz. Will not occur.  
Polymerization  
Materials to Avoid Strong oxidising agents.

## Ingredients

Ingredients	Name	CAS	Proportion
	Alkaline Salts	Proprietary	0-1%
	Ingredients determined not to be hazardous	Not required	(Balance)

## HEALTH HAZARD INFORMATION

### Health Effects

Acute - Swallowed May cause irritation to the mouth, oesophagus and stomach. Symptoms may include nausea, vomiting and abdominal pain.  
Acute - Eye May cause irritation in contact with the eyes, which can result in redness, stinging and lachrymation.  
Acute - Skin May cause irritation in contact with the skin, which can result in redness, itching and possible dermatitis.

# Material Safety Data Sheet

Page 2 of 3

Infosafe No. 4AD2Y Issue Date: September 2000 ISSUED by WHISTLE  
Product Name: ELECTRO 3

Not Classified as Hazardous according to criteria of NOHSC

**Acute - Inhaled** Inhalation of vapours or mists may cause irritation to the mucous membrane and upper airways. Symptoms of exposure may include headaches, nausea, coughing and breathing difficulties.

**Chronic** Repeated or prolonged exposure to this material may result in skin irritation and aggravate existing respiratory disorders.

## First Aid

**Swallowed** DO NOT induce vomiting. Immediately wash out mouth with water, and then give plenty of water to drink. If irritation develops seek immediate medical attention.

**Eye** If contact with the eye(s) occur, wash with copious amounts of water for approximately 15 minutes holding eyelids(s) open. Take care not to rinse contaminated water into the non-affected eye. If irritation develops and persists seek medical attention.

**Skin** Remove all contaminated clothing. Wash gently and thoroughly with water and non-abrasive soap. Ensure contaminated clothing is washed before re-use or discard. If irritation develops and persists seek medical attention.

**Inhaled** Remove the source of contamination or move the victim to fresh air. Ensure airways are clear and have qualified person give oxygen through a face mask if breathing is difficult. If irritation develops and persists seek medical attention.

**First Aid Facilities** Eye wash and normal wash room facilities.

## Advice to Doctor

**Advice to Doctor** Treat symptomatically or consult a Poison Information Centre.

## Other Health Hazard Information

## PRECAUTIONS FOR USE

**Exposure Limits** No exposure standards have been established for this material by the National Occupational Health And Safety Commission (NOHSC).

**Eng. Controls** Natural ventilation should be sufficient, under normal conditions of use.

## Personal Protection

**Respirator Type (AS 1716)** Not required under normal conditions of use.

**Eye Protection** Not required under normal conditions of use.

**Glove Type** Where contact may be prolonged the use of Nitrile or Neoprene gloves is recommended.

## Flammability

**Fire Hazards** Non flammable liquid, however if involved in a fire may release irritating vapours.

## SAFE HANDLING INFORMATION

### Storage and Transport

**Storage Precautions** Store in a cool, dry, well-ventilated area, out of direct sunlight. Store in suitable, labelled containers. Avoid contact with incompatible materials that support combustion, such as strong oxidising agents. Keep containers tightly closed when not in use.

**Transport** Not classified as a Dangerous Good, according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (6th Edition).

**Handling** Ensure a high level of personal hygiene is maintained when using this product. That is; always wash hands before eating, drinking, smoking or using the toilet.

# Material Safety Data Sheet

Page 3 of 3

Infosafe No. 4AD2Y Issue Date: September 2000 ISSUED by WHISTLE  
Product Name: ELECTRO 3

Not Classified as Hazardous according to criteria of NOHSC

Proper Shipping Name None Allocated

EPG Number

IERG Number

## Spills and Disposal

**Spills & Leaks** Wear sufficient protection equipment. If possible contain the spill. Place inert absorbent such as vermiculite, sand or dirt onto material. Collect the material and place into a suitable labelled container. Mop up the remaining material and place into the same container. If large quantities of this material enter the waterways contact the Environmental Protection Authority, or your local Waste Management Authority.

**Disposal** Disposal of this material should be undertaken by a registered chemical disposal company.

## Fire/Explosion Hazard

**Hazardous** Oxides of carbon (CO, CO2)

**Decomposition or Byproducts**

**Fire Fighting** Wear Self-Contained Breathing Apparatus (S.C.B.A) and full protective clothing to minimise skin exposure.

**Precautions**

**Extinguishing** Use appropriate fire extinguisher for surrounding environment.

**Media**

**Hazchem Code** None Allocated

## OTHER INFORMATION

**Toxicology** No toxicity data is available for this material.

**Environ. Protection** Prevent large quantities of this material entering waterways, drains or sewers.

## CONTACT POINT

**Contact** Technical Manager  
Ph: (02) 4956 5600

...End of Report...